

Cyrtostylis huegelii

Name and Authority

Cyrtostylis huegelii Endl.



Cyrtostylis huegelii

Synonyms (previous names)

Caladenia reniformis var. huegelii; Cyrtostylis reniformis var. huegelii; Acianthus reniformis var. huegelii

Common Name

Midge Orchid



Cyrtostylis huegelii distribution

Originally Described by

Stephan Endlicher in Lehm., Pl.Preiss. 2:6 (1846)

Distribution and Habitat

Binu to Israelite Bay, growing in sandy, sandy-clay and lateritic soils in forests, woodlands and shrublands. In inland areas the *species* occupies shallow soil pockets on granite outcrops.



Cyrtostylis huegelii

Flowering Months

· · · · Jun Jul Aug Sep Oct · ·

Description

A common *species* 100–400 mm high with a smooth, rounded, ground-hugging leaf 30–70 mm long by 20–60 mm wide and up to 15 reddish-brown to greenish-fawn flowers 4–5 mm across.



Cyrtostylis huegelii

Distinguishing Features

It has more numerous, smaller flowers and a narrower *labellum* than the related Mosquito Orchid (*Cyrtostylis robusta*).

WA Conservation Code (Threatened Status)

Not Listed



Copyright © 2024. WANOSCG All rights reserved. (ver: April 2024)



Web edition hosted at <https://keys.lucidcentral.org/keys/v4/wa-orchids/>