

# Pterostylis roensis

## Name and Authority

**Pterostylis roensis** M.A.Clem. & D.L.Jones

## Synonyms (previous names)

*Pterostylis* sp. 'greasy'; *Oligochaetochilus roensis*

## Common Name

Rufous Greenhood

## Complex Name

*Pterostylis rufa* (Rufous Greenhoods)

## Originally Described by

Mark Clements & David Jones in *Austral.Orchid Res.* 1:126 (1989)

## Distribution and Habitat

Beacon to east of Balladonia, growing in sandy-clay and clay soils in woodlands and shrublands. The [species](#) is common on breakaways and inland granite outcrops.

## Flowering Months

· · · · · Sep Oct Nov ·

## Description

An inland [species](#) 150–250 mm high with six to 10 leaves forming a ground-hugging [basal rosette](#) 30–50 mm across and up to six greasy-textured translucent, green and white to greenish-brown and white flowers 8–12 mm across.

## Distinguishing Features

It is distinguished from Painted Rufous Greenhood (*Pterostylis picta*) by its darker coloured flowers, broader [lateral sepals](#) and generally more north-easterly distribution

## WA Conservation Code (Threatened Status)

Not Listed



[Pterostylis roensis](#)



[Pterostylis roensis distribution](#)



[Pterostylis roensis](#)



[Pterostylis roensis](#)



[Pterostylis roensis](#)

Copyright © 2024. WANOSCG All rights reserved. (ver: April 2024)



Web edition hosted at <https://keys.lucidcentral.org/keys/v4/wa-orchids/>