

Pterostylis timothyi

Name and Authority

Pterostylis timothyi (D.L.Jones) Janes & Duretto

Synonyms (previous names)

Pterostylis sp. Fragile; Pterostylis sp. 'brittle'; Linguella timothyi; Diplodium timothyi

Common Name

Brittle Snail Orchid

Complex Name

Pterostylis nana (Snail Orchids)

Originally Described by

David Jones in Australian Orchid Research 5: 82-83 (2006) as Linguella timothyi

Distribution and Habitat

Westonia to Israelite Bay, growing in sandy, sandy-clay and clay soils in woodlands and shrublands.

Flowering Months

· · · · · Jul Aug Sep · · ·

Description

A diminutive **species** 50–150 mm high with four to six leaves forming a ground-hugging **basal rosette** 8–12 mm across, one to two **cauline** leaves and one (rarely two) translucent, dull green or fawn and white flowers 4–6 mm across.

Distinguishing Features

It is distinguished from the closely related Fawn Snail Orchid (*Pterostylis parva*) by its taller stature and generally narrower flowers. Otherwise they are very similar and may represent forms of the same **species**.

WA Conservation Code (Threatened Status)

Not Listed



Pterostylis timothyi



Pterostylis timothyi distribution



Pterostylis timothyi



Pterostylis timothyi



Pterostylis timothyi



Copyright © 2024. WANOSCG All rights reserved. (ver: April 2024)

Web edition hosted at <https://keys.lucidcentral.org/keys/v4/wa-orchids/>