

Dendrothrips



Generic diagnosis

Female macropterous. Head wider than long; ocellar setae pair I present, postocular setae minute or absent; maxillary palps 3-segmented. Antennae 7- to 9-segmented; segment I without paired dorso-apical setae; III and IV with sense-cones forked or simple. Pronotum wider than long, no long posteroangular setae. Mesonotum median pair of setae near middle; anteromedian campaniform sensilla absent. Metanotal sculpture variable; median setal pair behind anterior margin; campaniform sensilla absent. Fore wings fully developed; anterior margin fringe cilia arise ventrally behind wing margin; veinal setae all minute; first vein with wide gap in setal row, second vein with few setae; clavus with four or five veinal and one discal setae; posterior fringe cilia straight; apex of forewing curving without long setae. Prosternal ferna widely divided; basantra membranous and without setae. Mesosternal endofurca with spinula; metasternal endofurca large, U- or lyre-shaped and reaching mesothorax. Tarsi 1-segmented. Tergites without ctenidia or craspeda, with transverse or reticulate striae laterally usually bearing many internal dots or wrinkles; II-VIII median setae longer than distance between their bases; VIII with almost complete comb; IX with only posterior campaniform sensilla present; X median split absent. Sternites without discal setae; sternites III-VII with 3 pairs of posteromarginal setae, II with 2 pairs.

Male similar to female, sternites without pore plates.

Biological data

Species of *Dendrothrips* breed on leaves, although usually not on newly emerged very young leaves, and many have been recorded from species of Oleaceae (Marullo, 2003).

Distribution data


Only two genera and 10 species of sub-family Dendrothripinae are endemic to the American continent, with all of the other members of the group found widely across the Old World. The species of *Dendrothrips* are recorded from Europe to Australia, including Africa and Asia. In China, most of the recorded species are from the South, but with one palaeartic species recorded from Beijing.

Nomenclatural data


Dendrothrips Uzel, 1895: 159. Type species *Thrips ornatus* Jablonowski, by subsequent designation.



ornatus female



ornatus head & pronotum



ornatus meso & metanota *latimaculatus* head & pronotum



minowai head & pronotum



minowai metacurca



minowai tergites VI-X



stannardi tergites V-X



sexmaculatus head & pronotum

This genus comprises 56 species across the Old World (ThripsWiki, 2020), with the following nine species recorded from China:

guttatus Wang, 1993: 254.
homalii Zhang & Tong, 1988: 276.
maltoaculatus Nonaka & Okajima, 1991: 110.
mendax Bhatti, 1971: 353.
minowai Priesner, 1935: 353.
octosparsus Wang, Mound & Tong, 2019: 244.
ornatus (Jablonowski, 1894: 93). (Thrips)
sexmaculatus Bagnall, 1916: 401.
stannardi (Ananthakrishnan, 1958: 216). (*Dendrothripiella*)

Relationship data

Thripidae sub-family Dendrothripinae: This sub-family comprises 105 species (ThripsWiki, 2020), almost all Old World in origin, and all with the metathoracic furca elongate, extending to the mesothorax. *Dendrothrips* is one of 12 genera currently recognised in this group (Mound & Tree, 2015). The species of *Dendrothrips* have the fore wing anteromarginal cilia arising ventrally behind the margin, but in contrast to species in other genera with this character state the wing apex is recurved without a terminal seta. Relationships of this genus are also discussed by Masumoto & Okajima (2017).

References

- Marullo R (2003) Host relationships at plant family level in *Dendrothrips* Uzel (Thysanoptera: Thripidae, Dendrothripinae) with a new Australian species. *Australian Journal of Entomology* **42**: 46–50.
- Masumoto M & Okajima S (2017) Studies on Dendrothripinae (Thysanoptera, Thripidae) from Japan, with new records and one new species. *Zootaxa* **4362**: 405-420.
- Mound LA & Tree DJ (2016) Genera of the leaf-feeding Dendrothripinae (Thysanoptera, Thripidae), with new species from Australia and Sulawesi, Indonesia. *Zootaxa* **4109** (5): 569–582.
- ThripsWiki (2020) *ThripsWiki - providing information on the World's thrips*. <http://thrips.info/wiki/Main_Page>